

Pubnet FTP Connections

Most transactions on Pubnet occur using ftp (File Transfer Protocol) connections. Many local networks are protected by Firewall software, which may need to be configured to allow the ftp connections to function without interruption. This document contains all the necessary information to create ftp connections to Pubnet's Production and Sandbox/testing environments. You should provide it to whoever manages your local network, so they can allow your network to communicate freely with ours, while remaining protected from the world-at-large. For additional information about Firewalls, please refer to “**Firewalls for FTP Servers**,” a separate document found under **Technical Information** at this web site. Questions not addressed in this document can be sent to support@mvp-online.com.

INDEX

FTP Servers	2
Test environment (Sandbox).....	2
FTP.....	2
Firewall Settings	2
SFTP	2
Live environment	2
FTP.....	2
Firewall Settings	2
SFTP	2
Logging in.....	3
Using Windows command line.....	3
Using FTP clients.....	4
FTP Commands.....	9

FTP Servers

Test environment (Sandbox)

FTP

URL: [sandbox-ftp-edi.pubnet.org](ftp://sandbox-ftp-edi.pubnet.org)

Firewall Settings

IP: 158.85.38.232

Ports: passive: 22000-22500 & 23000-23500
active: 20, 21 & 1024-65536

SFTP

URL: [sandbox-sftp-edi.pubnet.org](sftp://sandbox-sftp-edi.pubnet.org)

Live environment

FTP

URL: [ftp-edi.pubnet.org](ftp://ftp-edi.pubnet.org)

Firewall Settings

IP: 158.85.38.230

Ports: passive: 20000-20500 & 21000-21500
active: 20, 21 & 1024-65536

SFTP

URL: [sftp-edi.pubnet.org](sftp://sftp-edi.pubnet.org)

Logging in

Using Windows command line

Manual login

```
C:\Users\UserName>ftp
ftp> open sandbox-ftp-edi.pubnet.org
Connected to sandbox-ftp-edi.pubnet.org.
220 Service ready for new user (PubX 1.5.0).
530 Access denied.
User (sandbox-ftp-edi.pubnet.org:(none)): <mailboxID>
331 Please specify the password.
Password:
230 User logged in, proceed.
ftp> -- FTP commands (see section on FTP Commands) --
```

Note: 530 Access denied. error message appears, because Windows 10 sends the command OPTS UTF-8 ON to the server prior to logging in. This can be ignored.

FTP script

```
C:\Users\UserName>ftp -s:ftpscript.txt
```

example ftpscript.txt:

```
open sandbox-ftp-edi.pubnet.org
<mailboxID>
<mailboxPassword>
-- FTP commands (see section on FTP Commands) --
quit
```

Script notes:

- When using active mode, you need to use a public IP address to communicate with Pubnet's FTP server.
- Passive mode is not possible from the Windows command line (even in scripts).
- If your script does not return files, because it is trying to download the heading returned by `ls`, try using the `quote opts nlst simple` command listed in **"Multiple file commands using `mget` and `mdelete`"** under the **FTP commands** section
- For SFTP transfers, we cannot return an error code after a file is uploaded. To determine the status of your transfer, check the file name in your `/sent` directory. See **"File naming conventions"** under **"Using FTP clients"** section below to determine the error code.

Using FTP clients

General information for all clients:

The directories:

/ (root)	This is where you upload your files.
/new	This is where incoming files are stored that have not been downloaded yet.
/downloaded	This is where files are stored that have been previously downloaded.
/deleted	This is where files are stored that have been deleted.
/error	This is where files are stored that returned a non-0000 error code during upload.
/sent	This is where files are stored after they have been uploaded. Files placed in the / (root) directory are moved to this folder automatically. Do not upload to this directory.

File naming conventions

example file: 000000000007742549.0000.000084904.856


where,

- 000000000007742549 is the service reference number.
- 0000 is the error code (0000 is a successful upload). See the “**FTP Error Codes**,” a separate document found under **Technical Information** at this web site. It will provide descriptions for the error codes.
- 000084904 is the interchange control number.
- 856 is the interchange type.

FileZilla

FTPS (or FTP)

- Create a new connection using the settings in the screenshot below. Use your mailbox ID and mailbox password. The connection will use FTPS.
- When logging in for the first time, accept the security certificate and tick the checkbox to remember it, if desired. Afterwards, an empty directory listing will appear.



- The file C:\Users\\AppData\Roaming\FileZilla\sitemanager.xml needs to be modified in order for the directory structure to be correctly displayed.

Note: The 'AppData' folder is hidden by default. Select the option to show hidden files in Explorer to be able to navigate to the FileZilla directory.

- Close FileZilla before proceeding.
- Open the file sitemanager.xml in a text editor. This is an XML file that contains the connection you just setup. It should be similar to the text below:

```
<FileZilla3 version="3.41.1" platform="windows">
  <Servers>
    <Server>
```

```
<Host>sandbox-ftp-edi.pubnet.org</Host>
<Port>21</Port>
<Protocol>0</Protocol>
<Type>0</Type>
<User>Mailbox ID</User>
<Pass encoding="base64">xxxxxxx</Pass>
<Logontype>1</Logontype>
<TimezoneOffset>0</TimezoneOffset>
<PasvMode>MODE_DEFAULT</PasvMode>

<MaximumMultipleConnections>0</MaximumMultipleConnections>
<EncodingType>Auto</EncodingType>
<BypassProxy>0</BypassProxy>
<Name>Pubnet Sandbox FTP</Name>
<Comments />
<Colour>0</Colour>
<LocalDir />
<RemoteDir />
<SyncBrowsing>0</SyncBrowsing>
<DirectoryComparison>0</DirectoryComparison>
</Server>
</Servers>
</FileZilla3>
```

- Anywhere between the `<Server></Server>` tag set for the connection you just created, insert the following:

```
<PostLoginCommands>
  <Command>OPTS OUTPUT FTP</Command>
</PostLoginCommands>
```

- If you have more than one connection setup in FileZilla, be sure to add the block of text to the Pubnet connection you just added. Save the file and open FileZilla again.
- Connect using the newly modified connection.


SFTP

- To create a SFTP connection, use the SFTP server URL listed above and choose SFTP as the protocol. There is no need to edit the sitemanager.xml file after creating the connection.


WinSCP

FTPS (or FTP)

- Create a new connection using the settings in the screenshot below, using your mailbox ID and mailbox password, to create a FTPS connection:



- Click on the 'Advanced' button to enter the post login command OPTS OUTPUT FTP under 'Environment' - 'FTP' as in the screenshot below

SFTP

- To create a SFTP connection, use the SFTP server URL listed above and choose SFTP as the protocol. There is no need to add a post login command for SFTP.



FTP Commands

To change local directory after logging in to FTP server

```
ftp> lcd <directory>
```

Single file commands

File concatenation

To concatenate all files in to one file while downloading

```
ftp> get * concatenated_file.txt
```

Note: This feature is not available for SFTP connections.

Individual file download

Individual files can be downloaded by Service Ref. #

```
ftp> get 000000000000044406
```

Note: Files previously downloaded will be downloaded again, if referenced directly by Service Ref. #

Script note: When combined with the `quote opts nlst simple new` command, the results of the `ls` command can be stored in an array and files retrieved in a `foreach` loop using the `get` command.

Individual file upload

Individual files can be uploaded using the local file name. Use the `lcd` command to navigate to your local directory containing the files to be uploaded.

```
ftp> put <file name>
```

Multiple files upload

Multiple files can be uploaded from the current local directory. Use the `lcd` command to navigate to your local directory containing the files to be uploaded.

```
ftp> put *
```

To retrieve files by APRF

```
ftp> ls
```

```
200 Command PORT okay.
```

```
150 File status okay; about to open data connection.
```

Service Ref. #	St	APRF	SNRF	Mailbox ID
000000000000044406	N	850	000056338	ERETAIL
000000000000044407	N	850	000056338	ERETAIL
000000000000044875	N	850BK3060	000000076	1761323
000000000000044878	N	850BK3060	900000076	1761323
000000000000048326	N	850	101309050	URETAIL

```
ftp> get %%850 850s.txt
```

- grabs all 850 APRFs with status 'N' and concatenates them to a file named 850s.txt



```
ftp> get %%850BK3060 850BK3060s.txt
```

- grabs all 850BK3060 APRFs with status 'N' and concatenates them to a file named 850BK3060s.txt

```
ftp> get %%850% all_850s.txt
```

- grabs all APRFs starting with 850 with status 'N' and concatenates them to a file named all_850s.txt

Multiple file commands using `mget` and `mdelete`

To list all the files in current directory.

```
ftp> ls
200 Command PORT okay.
150 File status okay; about to open data connection.
Service Ref. #      St APRF              SNRF              Mailbox ID
000000000000044406 N 850                000056338        ERETAIL
000000000000044407 N 850                000056338        ERETAIL
000000000000044875 Y 850BK3060         000000076        1761323
000000000000044878 Y 850BK3060         900000076        1761323
000000000000048326 N 850                101309050        URETAIL
```

Note: The file names are listed under the “Service Ref. #” column. The “St” is the file’s status; “Y” is retrieved, “N” has not been retrieved.

The first step is to modify 'ls' to only list the file names instead of the columns shown above.

for mget

To list files not previously downloaded (Status 'N'):

```
ftp> quote opts nlst simple new
200 NLST format set to simple: true; only new files: true
ftp> ls
200 Command PORT okay.
150 File status okay; about to open data connection.
000000000000044406
000000000000044407
000000000000048326
```

for mdelete

To list files previously downloaded (Status 'Y'):

```
ftp> quote opts nlst simple old
200 NLST format set to simple: true; only new files: false
ftp> ls
```



```
200 Command PORT okay.  
150 File status okay; about to open data connection.  
000000000000044875  
000000000000044878
```

If desired, turn off interactive prompting mode using the command:

```
ftp> prompt
```

Note: If this step is omitted, you will be prompted before each file is downloaded or deleted, respectively. The `prompt` command is a toggle.

To retrieve all files

```
ftp> mget *
```

To delete all files

```
ftp> mdelete *
```

To restore default `ls` behavior

```
ftp>quote opts nlst default
```

List of other supported FTP commands:

LIST	USER	NOOP
NLST	PASS	PWD
MLSD	OPTS	QUIT
STOR	TYPE	PORT
RETR	FEAT	PASV
DELE	SYST	ALLO
